

DEC 30 2004

**FAX TRANSMISSION**

DATE:

12/30/04

PTO IDENTIFIER: Application Number 09/913,833-Conf. #4499  
Patent Number

Inventor: Jouko Suhonen

MESSAGE TO: US Patent and Trademark Office

FAX NUMBER: (703) 872-9306

FROM: CONNOLLY BOVE LODGE &amp; HUTZ LLP

Brian J. Hairston

PHONE: (202) 331-7111

Attorney Dkt. #: 21499-00050-US

PAGES (Including Cover Sheet): 6

CONTENTS:

Transmittal Letter

Amendment in Response to Notice of Drawing Inconsistency with Specification

Certificate of Transmission (1 page)

If your receipt of this transmission is in error, please notify this firm immediately by collect call to sender at (202) 331-7111 and send the original transmission to us by return mail at the address below.

This transmission is intended for the sole use of the individual and entity to whom it is addressed, and may contain information that is privileged, confidential and exempt from disclosure under applicable law. You are hereby notified that any dissemination, distribution or duplication of this transmission by someone other than the intended addressee or its designated agent is strictly prohibited.

CONNOLLY BOVE LODGE &amp; HUTZ LLP

1990 M Street, N.W., Suite 800, Washington, DC 20036-3425

Telephone: (202) 331-7111 Facsimile: (202) 293-6229

RECEIVED  
CENTRAL FAX CENTER

DEC 30 2004

PTO/SB/97 (09-04)

Approved for use through 07/31/2006. OMB 0851-0031

U. S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.


Application No. (if known): 09/913,833

Attorney Docket No.: 21499-00050-US

**Certificate of Transmission under 37 CFR 1.8**

I hereby certify that this correspondence is being facsimile transmitted to the United States Patent and Trademark Office.

on 12/30/04  
Date

  
Signature

Deborah A. Beach

Typed or printed name of person signing Certificate

Registration Number, if applicable

(202) 331-7111

Telephone Number

**Note:** Each paper must have its own certificate of transmission, or this certificate must identify each submitted paper.

Transmittal Letter

Amendment in Response to Notice of Drawing Inconsistency with Specification

RECEIVED  
CENTRAL FAX CENTER

DEC 30 2004

Docket No.: 21499-00050-US  
(PATENT)

## IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

---

In re Patent Application of:  
Jouko Suhonen

Application No.: 09/913,833

Group Art Unit: 3732

Filed: December 3, 2001

Examiner: J. J. Wilson

---

For: DEVICE FOR RESTORATIVE DENTISTRYTRANSMITTAL LETTERMail Stop Issue Fee  
Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

Dear Sir:

Enclosed are the following items for filing in connection with the above-referenced Patent Application:

1. Amendment in Response to Notice of Drawing Inconsistency with Specification; and
2. Certificate of Transmission .

The Director is hereby authorized to charge any deficiency in the fees filed, asserted to be filed or which should have been filed herewith (or with any paper hereafter filed in this application by this firm) to our Deposit Account No. 22-0185, under Order No. 21499-00050-US. A duplicate copy of this paper is enclosed.

Dated:

*December 30, 2004*

Respectfully submitted,

By Brian J. Hairston, Reg. No. 46,750  
CONNOLLY BOVE LODGE & HUTZ LLP  
1990 M Street, N.W., Suite 800  
Washington, DC 20036-3425  
(202) 331-7111  
Attorney for Applicant

372521

**RECEIVED  
CENTRAL FAX CENTER**

**DEC 30 2004**

Docket No.: 21499-00050-US  
(PATENT)

**IN THE UNITED STATES PATENT AND TRADEMARK OFFICE**

In re Patent Application of:  
Jouko Suhonen

Application No.: 09/913,833

Confirmation No.: 4499

Filed: December 3, 2001

Art Unit: 3732

For: DEVICE FOR RESTORATIVE DENTISTRY

Examiner: J. J. Wilson

**AMENDMENT IN RESPONSE TO NOTICE OF DRAWING INCONSISTENCY WITH  
SPECIFICATION**

Mail Stop Issue Fee  
Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

Dear Sir:

**INTRODUCTORY COMMENTS**

In response to the Notice dated December 6, 2004, please amend the above-identified  
U.S. patent application as follows:

**Amendments to the Specification begin on page 2 of this paper.**